Neck pins · front

General: bones, cartilages and superficial neck 35

Mandible (neck boundary) B Angle of the mandible inf V External jugular vein lat superf. ★ N Cervical plexus lat deep B Mylohyoid line med B Digastric fossa med B Superior mental spine med B Inferior mental spine med B Mental foramen lat ★ *Mylohyoid line: sublingual fossa superior to it, submandibular fossa inferior to it; mental foramen at the second premolar*

↳ Posterior auricular vein post superf. Retromandibular vein ant

↳ Lesser occipital nerve post superf. Great auricular nerve sup superf. Transverse cervical nerve ant superf. Supraclavicular nerves inf superf.

Mastoid and styloid processes B Mastoid process inf M Sternocleidomastoid lat superf. ★ B Jugular foramen inf B Styloid process inf B Stylohyoid ligament inf *Three styloid muscles, three nerves: stylohyoid (VII), styloglossus (XII), stylopharyngeus (IX); jugular foramen transmits IX, X, XI and the internal jugular vein*

Hyoid bone (stylohyoid ligament to lesser horn)

Hyoid bone ★ Body of the hyoid bone ant Greater horn of the hyoid bone lat Lesser horn of the hyoid bone sup *Vertebral levels: hyoid C3, thyroid cartilage C4 to C5, cricoid C6*

Cervical transverse processes, first rib and manubrium (superior to inferior)

B Anterior tubercle of the transverse process ant B Carotid tubercle (C6) ant B Scalene tubercle sup B Sternoclavicular joint inf M Sternal head of the sternocleidomastoid med B Jugular notch sup V Anterior jugular vein ant superf. *Carotid tubercle (Chassaignac) on C6: the common carotid can be compressed against it*

↳ Jugular venous arch inf superf.

Platysma, its nerve and the anterior jugular veins M

Platysma ant superf. ★ Or Investing layer of the deep cervical fascia superf. *Platysma is a facial-expression muscle: cervical branch of the facial nerve (VII). Deep cervical fascia: investing, pretracheal, prevertebral, carotid sheath*

Sternocleidomastoid and the external jugular vein on it

Superficial cervical lymph nodes lat superf. *External jugular vein = posterior auricular + posterior division of the retromandibular vein at the angle of the mandible, crossing SCM superficially; SCM divides the neck into anterior and posterior triangles*

Nerve point of the neck: cutaneous nerves (superior to inferior)

Nerve point of the neck post *Erb's point (midpoint of the posterior border of SCM), superior to inferior: lesser occipital (C2), great auricular (C2, C3), transverse cervical (C2, C3), supraclavicular (C3, C4)*

Superior: submental triangle 6

Submental triangle Or Submental triangle med M Anterior belly of the digastric lat superf. ★ M Mylohyoid inf ★ V Submental lymph nodes med superf. A Submental artery inf *Submental triangle: both anterior bellies of the digastric and the body of the hyoid; floor = mylohyoid*

Mylohyoid floor: nerve to mylohyoid and submental artery

Geniohyoid sup deep ★ *Suprahyoid nerves 2-2-1: mylohyoid and anterior digastric (V3, nerve to mylohyoid); posterior digastric and stylohyoid (VII); geniohyoid (C1 via XII)*

Superior: submandibular triangle 23

Submandibular triangle: posterior belly of the digastric and stylohyoid

Or Submandibular triangle lat A Facial artery med deep V Facial vein lat superf. V Submandibular lymph nodes sup superf. N Hypoglossal nerve lat superf. ★ N Nerve to mylohyoid inf M Posterior belly of the digastric post ★ M Stylohyoid sup ★ M Intermediate tendon of the digastric inf Or Tail of the parotid gland inf N Cervical branch of the facial nerve inf deep *Two bellies, two nerves: anterior digastric V3, posterior digastric VII (with stylohyoid)*

Submandibular gland: facial vein superficial, facial artery deep

Or Submandibular gland ★ Or Superficial part of the submandibular gland lat superf. N Marginal mandibular branch of the facial nerve sup superf. *Facial artery grooves the gland deeply, facial vein passes superficial to it; marginal mandibular branch of VII superficial to both*

Lateral surface of the hyoglossus (superior to inferior)

M Styloglossus sup Or Deep part of the submandibular gland med deep M Hyoglossus med deep N Lingual nerve sup superf. Or Submandibular duct med M Genioglossus med deep ★ V Lingual vein inf *Superior to inferior on hyoglossus: lingual nerve, submandibular duct, hypoglossal nerve; the lingual nerve double-crosses the duct (lateral, then inferior, then medial); the lingual artery runs deep to hyoglossus*

↳ Submandibular ganglion sup

Sublingual gland on the genioglossus Sublingual gland sup *Parotid is serous, submandibular mixed (mainly serous), sublingual mixed (mainly mucous); the sublingual gland opens by many small ducts on the sublingual fold*

Anterior: carotid triangle 22

Carotid sheath: common carotid artery, vagus nerve, internal jugular vein

Or Carotid triangle sup ★ A Common carotid artery med ★ V Internal jugular vein lat deep ★ N Vagus nerve post ★ A Superior thyroid artery sup ★ Or Carotid sheath lat deep ★ N Ansa cervicalis ant superf. ★ V Deep cervical lymph nodes lat deep *I See 10 CCs in the IV (internal jugular vein lateral, vagus (X) posterior between, common and internal carotid medial)*

↳ Carotid bifurcation sup ★

↳ Carotid bifurcation: Carotid body post

↳ Internal carotid artery lat ★

↳ Internal carotid: Carotid sinus sup

↳ Common facial vein ant

↳ Cervical cardiac branches of the vagus nerve inf

↳ Superior root of the ansa cervicalis med

Inferior root of the ansa cervicalis lat

↳ Jugulodigastric lymph node sup deep

Jugulo-omohyoid lymph node inf deep

Carotid bifurcation Carotid sinus branch sup *Bifurcation at the superior border of the thyroid cartilage (C3/C4); carotid sinus senses pressure, carotid body senses chemistry (both IX); the internal carotid has no branches in the neck*

Nerves crossing the internal carotid artery (superior to inferior)

Inferior ganglion of the vagus nerve sup *Between internal and external carotids: styloglossus, stylopharyngeus, glossopharyngeal nerve, pharyngeal branch of the vagus; the superior laryngeal nerve passes deep (medial) to both carotids*

↳ Pharyngeal branch of the vagus nerve

med Superior laryngeal nerve med deep ★

Anterior: muscular triangle 9

Muscular triangle: sternohyoid and superior belly of the omohyoid

Or Anterior triangle of the neck ant ★ Or Muscular triangle med M Sternohyoid med superf. ★ M Superior belly of the omohyoid lat superf. ★ M Sternothyroid inf deep M Thyrohyoid sup deep M Intermediate tendon of the omohyoid inf deep *Anterior triangle splits into 4: submental, submandibular, carotid, muscular. Strap muscles: superficial sternohyoid and omohyoid, deep sternothyroid and thyrohyoid*

Sternothyroid, thyrohyoid and the pretracheal fascia

N Nerve to thyrohyoid sup Or Pretracheal layer of the deep cervical fascia ant *Ansa cervicalis (C1 to C3) supplies sternohyoid, sternothyroid, omohyoid; thyrohyoid (and geniohyoid) get C1 via the hypoglossal nerve*

Medial: larynx 47

Thyroid cartilage Or Thyroid cartilage ★ M Cricothyroid ant superf. M Inferior pharyngeal constrictor inf superf. Or Laryngeal prominence ant ★ Or Superior thyroid notch sup Or Lamina of the thyroid cartilage lat M Thyropharyngeal part of the inferior constrictor sup Or Oblique line of the thyroid cartilage lat Or Superior horn of the thyroid cartilage sup N Internal laryngeal nerve sup ★ Or Inferior horn of the thyroid cartilage inf N Recurrent laryngeal nerve med ★ *Thyroid cartilage at C4 to C5; carotid bifurcation at its superior border (C3/C4)*

↳ Right recurrent laryngeal nerve med

★ Left recurrent laryngeal nerve med

Cricoid cartilage and the arytenoids on its lamina

Or Cricoid cartilage ★ M Cricopharyngeus inf ★ M Posterior cricoarytenoid post ★ M Lateral cricoarytenoid lat deep Or Arch of the cricoid cartilage ant Or Lamina of the cricoid cartilage post Or Arytenoid cartilage post M Transverse arytenoid post deep M Oblique arytenoid post superf. M Thyroarytenoid lat deep Or Muscular process lat Or Vocal process ant M Vocalis med deep Or Corniculate cartilage sup Or Cuneiform cartilage ant *C6 rule at the cricoid: larynx becomes trachea, pharynx becomes oesophagus. Laryngeal cartilages: 3 unpaired (thyroid, cricoid, epiglottis), 3 paired (arytenoid, corniculate, cuneiform)*

Epiglottis Epiglottis ★ Stalk of the epiglottis inf *Elastic cartilages: epiglottis, corniculate, cuneiform and the apex of the arytenoid; thyroid, cricoid and most of the arytenoid are hyaline and calcify with age*

Thyrohyoid membrane: internal laryngeal nerve and superior laryngeal artery

Or Thyrohyoid membrane sup ★ A Superior laryngeal artery inf Or Median thyrohyoid ligament med *Internal laryngeal nerve and superior laryngeal artery pierce the thyrohyoid membrane; sensation superior to the vocal folds = internal laryngeal, inferior = recurrent laryngeal*

Laryngeal vestibule and ventricle Laryngeal vestibule Quadrangular membrane lat Vestibular fold sup Laryngeal ventricle lat *Superior to inferior: vestibular folds (false cords), laryngeal ventricle, vocal folds*

Vocal fold and rima glottidis Vocal fold inf ★ Vocal ligament med Rima glottidis med ★ *Vocal ligament = free superior edge of the conus elasticus; rima glottidis lies between the vocal folds*

Conus elasticus and infraglottic cavity Conus elasticus lat Median cricothyroid ligament ant ★ Infraglottic cavity inf Cricotracheal ligament inf *Median cricothyroid ligament is the emergency airway (cricothyrotomy)*

Cricothyroid and the external laryngeal nerve

Cricothyroid joint lat *Cricothyroid is the only intrinsic laryngeal muscle supplied by the external laryngeal nerve (all others: recurrent laryngeal); the nerve runs with the superior thyroid artery*

Cricoarytenoid joint and its muscles

Cricoarytenoid joint post *Posterior cricoarytenoid is the only abductor of the vocal folds*

Neck pins · back

Medial: pharynx 59

Nasal cavity: lateral wall (superior to inferior)

Superior nasal concha [lat] **Middle nasal concha** [lat] **Ethmoidal bulla** [lat] ⭐ **Semilunar hiatus** [lat] **Inferior nasal concha** [lat] *Drainage: sphenoethmoidal recess = sphenoid; superior meatus = posterior ethmoidal; middle meatus (semilunar hiatus) = frontal, maxillary, anterior ethmoidal; inferior meatus = nasolacrimal duct*

Nasopharynx: opening of the auditory tube Or

Nasopharynx Or **Choanae** [ant] Or **Pharyngeal opening of the auditory tube** [lat] ⭐ M **Levator veli palatini** [med] Or **Torus tubarius** [lat] ⭐ M **Salpingopharyngeus** [lat] Or **Salpingopharyngeal fold** [lat] Or **Pharyngeal recess** [post] Or **Pharyngeal tonsil** [sup] *Pharyngeal tonsil (adenoids) on the roof and posterior wall; salpingopharyngeus runs from the torus tubarius inside the salpingopharyngeal fold*

Oropharynx and soft palate Or **Oropharynx** Or **Oropharyngeal isthmus** [ant] M **Palatoglossus** [ant] Or **Soft palate** [sup] M **Tensor veli palatini** [lat] M **Palatopharyngeus** [post] A **Ascending palatine artery** [sup] Or **Uvula** [sup] *All palate muscles are vagus (pharyngeal plexus) except tensor veli palatini (V3)*

Tonsillar bed between the palatine arches Or

Palatoglossal arch [ant] Or **Palatine tonsil** [lat] ⭐ A **Tonsillar branch** [lat] M **Superior pharyngeal constrictor** [sup] [deep] N **Glossopharyngeal nerve** [ant] ⭐ Or **Palatopharyngeal arch** [post] *Palatoglossal arch anterior, palatopharyngeal arch posterior; palatoglossus is the only tongue muscle supplied by the vagus*

↳ **Branch to stylopharyngeus** [post]

Base of the tongue and valleculae Or **Root of the tongue** [inf] A **External carotid artery** [med] ⭐ Or **Terminal sulcus** [sup] Or **Foramen caecum of the tongue** [sup] Or **Lingual tonsil** [ant] Or **Median glossoepiglottic fold** [med] ⭐ Or **Epiglottic vallecula** [ant] Or **Lateral glossoepiglottic fold** [lat] ⭐ *Terminal sulcus divides anterior two-thirds from posterior third; posterior third: IX for taste and touch; foramen caecum = origin of the thyroid*

↳ **Ascending pharyngeal artery** [med] [deep] **Lingual artery** [ant] [deep] **Occipital artery** [post] **Posterior auricular artery** [post] **Maxillary artery** [med] [deep] **Superficial temporal artery** [sup] [superf.]

Laryngeal inlet and laryngopharynx

Laryngeal inlet [sup] **Aryepiglottic fold** [lat] ⭐ **Laryngopharynx** [post] **Piriform recess** [lat] ⭐ **Fold of the superior laryngeal nerve** [lat] *Internal laryngeal nerve runs in the mucosa of the piriform recess (fish bones lodge there)*

Superior and middle constrictors Or

Pharyngobasilar fascia [sup] M **Pterygomandibular raphe** [ant] M **Stylopharyngeus** [lat] Or **Pharyngeal raphe** [post] M **Middle pharyngeal constrictor** [inf] N **Pharyngeal plexus** [lat] Or **Retropharyngeal space** [post] M **Longus colli** [med] [deep] M **Longus capitis** [lat] [deep] *All pharyngeal muscles are vagus (pharyngeal plexus) except stylopharyngeus (IX); stylopharyngeus and IX enter between the superior and middle constrictors*

Inferior constrictor and the Killian dehiscence

Inferior pharyngeal dehiscence (Killian) [post] **Pharyngo-oesophageal junction** [inf] *Killian's dehiscence between thyropharyngeus and cricopharyngeus: site of the Zenker diverticulum*

Medial: thyroid and parathyroid glands 15

Thyroid gland: lobes and isthmus Or

Thyroid gland ⭐ A **Inferior thyroid artery** [post] [deep] ⭐ Or **Lobes of the thyroid gland** [lat] V **Middle thyroid vein** [lat] Or **Isthmus of the thyroid gland** [ant] V **Inferior thyroid veins** [ant] A **Thyroid ima artery** [inf] Or **Pyramidal lobe of the thyroid gland** [sup] ⭐ Or **Suspensory ligament of the thyroid gland** [med] [deep] *Isthmus lies on tracheal rings 2 to 4; pyramidal lobe = thyroglossal duct remnant*

Superior pole: superior thyroid vessels Or

Superior pole of the thyroid gland [sup] V **Superior thyroid vein** [sup] N **External laryngeal nerve** [med] [deep] ⭐ *Superior thyroid artery: first branch of the external carotid, with the external laryngeal nerve; ligate it close to the gland*

Posterior border of the lobe: parathyroid glands and middle thyroid vein

Superior parathyroid gland [post] ⭐ **Inferior parathyroid gland** [post] ⭐ *Inferior parathyroids come from the 3rd pouch (with the thymus) and migrate further; superior from the 4th. Superior and middle thyroid veins to the internal jugular, inferior to the brachiocephalic*

Inferior pole: inferior thyroid vessels **Inferior pole of the thyroid gland** [inf] *Inferior thyroid artery from the thyrocervical trunk, close to the recurrent laryngeal nerve: ligate it away from the gland; thyroid ima artery (about 10%) from the brachiocephalic trunk or arch*

Medial: cervical trachea and oesophagus 14

Tracheo-oesophageal groove and the recurrent laryngeal nerves

Or **Cervical part of the trachea** [ant] A **Brachiocephalic trunk** [med] ⭐ Or **Tracheal cartilages** [ant] Or **Tracheo-oesophageal groove** [lat] Or **Cervical part of the oesophagus** [post] V **Venous angle** [post] *Right recurrent laryngeal hooks the right subclavian, left hooks the aortic arch (posterior to the ligamentum arteriosum); both ascend in the tracheo-oesophageal groove*

↳ **Subclavian artery** [lat] ⭐

↳ **Subclavian:** **First part of the subclavian artery** [med]

↳ **First part of the subclavian:** **Vertebral artery** [sup] ⭐ **Internal thoracic artery** [inf] ⭐

↳ **Jugular lymphatic trunk** [sup]

Subclavian lymphatic trunk [lat] **Thoracic duct (cervical part)** [post] **Right lymphatic duct** [med]

Lateral: posterior triangle 26

Occipital triangle: accessory nerve on the levator scapulae

Or **Posterior triangle of the neck** [lat] ⭐ M **Descending part of trapezius** [post] [superf.] N **Accessory nerve** [sup] [superf.] ⭐ M **Inferior belly of the omohyoid** [inf] ⭐ N **Roots of the brachial plexus** [med] A **Transverse cervical artery** [sup] Or **Occipital triangle** [sup] M **Levator scapulae** [post] [deep] M **Scalenus medius** [post] [deep] *Accessory nerve lies superficially on levator scapulae: enters at the junction of the superior and middle thirds of the posterior border of SCM, reaches trapezius at the junction of its middle and inferior thirds*

↳ **Superior trunk** [sup]

↳ **Superior trunk:** **Suprascapular nerve** [lat]

↳ **Middle trunk** [lat] **Inferior trunk** [inf]

Divisions of the brachial plexus [inf]

Scalenus medius: dorsal scapular and long thoracic nerves

N **Dorsal scapular nerve** [post] A **Dorsal scapular artery** [post] N **Long thoracic nerve** [post] ⭐ M **Scalenus posterior** [post] [deep] *C5, 6, 7 - wings of heaven (long thoracic nerve, winged scapula); dorsal scapular (C5) and long thoracic pierce scalenus medius*

Omoclavicular triangle Or **Omoclavicular triangle** [inf] A **Third part of the subclavian artery** [lat] V **Subclavian vein** [ant] ⭐ A **Thyrocervical trunk** [med] ⭐ V **Supraclavicular lymph nodes** [inf] V **Transverse cervical vein** [sup] V **Suprascapular vein** [inf] *Inferior belly of the omohyoid divides the posterior triangle into occipital (superior) and omoclavicular (inferior) triangles*

↳ **Suprascapular artery** [ant]

Inferior and posterior: root of the neck, prevertebral region, sympathetic trunk 16

First part of the subclavian artery: vertebral and internal thoracic branches

Vertebral vein [ant] *VIT C and D (vertebral, internal thoracic, thyrocervical trunk, costocervical trunk, dorsal scapular); first part medial to scalenus anterior gives the first three*

Thyrocervical trunk at the medial border of scalenus anterior

Ascending cervical artery [med] *Thyrocervical trunk: inferior thyroid (gives ascending cervical), transverse cervical, suprascapular; SIT on the thyrocervical trunk (suprascapular, inferior thyroid, transverse cervical)*

Scalenus anterior: phrenic nerve and the scalene interval

Or **Scalene interval** [post] M **Scalenus anterior** [ant] ⭐ A **Second part of the subclavian artery** [post] *C3, 4, 5 keeps the diaphragm alive: phrenic descends on the anterior surface of scalenus anterior. Subclavian vein anterior to scalenus anterior, subclavian artery and plexus posterior to it (scalene interval); artery parts 1, 2, 3 = medial, posterior, lateral to the muscle*

↳ **Costocervical trunk** [post]

Venous angle: veins and lymphatic ducts Or

Lesser supraclavicular fossa [ant] [superf.] M **Clavicular head of the sternocleidomastoid** [lat] *Thoracic duct ends at the left venous angle (internal jugular + subclavian); right lymphatic duct drains only the right upper quadrant*

Prevertebral fascia and muscles Or

Prevertebral layer of the deep cervical fascia [post] [deep] N **Phrenic nerve** [ant] [deep] ⭐ N **Cervical sympathetic trunk** [ant] *Deep cervical fascia: investing, pretracheal, prevertebral, carotid sheath; the danger space (anterior to the prevertebral layer) runs from skull base to diaphragm*

↳ **Superior cervical ganglion** [sup] ⭐

Middle cervical ganglion [ant] **Ansa subclavia** [ant] **Cervicothoracic ganglion** [inf] ⭐ **Cervical cardiac nerves (sympathetic)** [inf]

Back pins · front

Superior: suboccipital triangle 25

Occiput: protuberance, nuchal lines and nuchal ligament

B External occipital protuberance post B Superior nuchal line post A Occipital artery lat ⭐ N Greater occipital nerve med ⭐ B Inferior nuchal line post M Rectus capitis posterior major med deep ⭐ M Rectus capitis posterior minor med deep M Obliquus capitis superior lat deep B Nuchal ligament med ⭐ B Mastoid process lat *External occipital protuberance (inion) anchors the nuchal ligament and trapezius; superior nuchal line for trapezius and sternocleidomastoid, inferior nuchal line for the suboccipital muscles*

↳ Descending branch of the occipital artery inf deep

Greater occipital nerve with the occipital vessels

V Occipital vein lat N Third occipital nerve med *Posterior rami: C1 suboccipital (motor only), C2 greater occipital, C3 third occipital*

Suboccipital triangle: its muscles M

Suboccipital muscles deep M Obliquus capitis inferior inf deep ⭐ B Posterior tubercle of the atlas post *Boundaries: rectus capitis posterior major (superomedial), obliquus capitis superior (superolateral), obliquus capitis inferior (inferior); rectus capitis posterior minor is not a boundary*

Floor of the suboccipital triangle: vertebral artery and suboccipital nerve

B Posterior arch of the atlas post ⭐ A Vertebral artery lat deep ⭐ N Suboccipital nerve inf deep ⭐ M Suboccipital triangle deep ⭐ B Groove for the vertebral artery sup ⭐ B Posterior atlanto-occipital membrane sup V Vertebral vein lat deep *Contents on the posterior arch of the atlas: vertebral artery and suboccipital nerve (C1); the greater occipital nerve crosses the roof*

↳ Atlantic part of the vertebral artery sup deep

↳ Suboccipital venous plexus post deep

Superior: craniovertebral joints (atlas, axis, ligaments of the dens) 30

Atlas (C1): ring and transverse process Atlas ⭐ Lateral mass of the atlas lat Transverse process of the atlas lat Foramen transversarium of the atlas lat *Atlas holds the globe: no body, no spinous process*

Axis (C2) and the lateral atlanto-axial joint

Axis Body of the axis ant Superior articular facet of the axis sup Inferior articular facet of the atlas inf Lateral atlanto-axial joint lat Inferior articular process of the axis inf Spinous process of the axis post *C2 spinous process is the first large palpable spine inferior to the occiput*

Atlanto-occipital joint Occipital condyle inf Superior articular facet of the atlas sup Atlanto-occipital joint lat Anterior atlanto-occipital membrane ant *Atlanto-occipital = 'yes' joint (nodding: flexion and extension)*

Median atlanto-axial joint: dens in the ring of the atlas

Anterior arch of the atlas ant Anterior tubercle of the atlas ant Facet for the dens post Dens of the axis sup ⭐ Anterior articular facet of the dens ant Apex of the dens sup Posterior articular facet of the dens post Median atlanto-axial joint med *Atlanto-axial = 'no' joint (rotation around the dens)*

Ligaments of the dens (anterior to posterior)

Apical ligament of the dens sup Alar ligament lat Transverse ligament of the atlas post ⭐ Tubercle for the transverse ligament med Cruciate ligament of the atlas post Longitudinal bands of the cruciate ligament sup Tectorial membrane post *Anterior to posterior: apical ligament, alar ligaments (check rotation), cruciate ligament (transverse ligament), tectorial membrane (continuation of the posterior longitudinal ligament)*

Superior: cervical vertebrae 11

Cervical transverse process: vertebral artery and spinal nerve groove

B Typical cervical vertebra B Foramen transversarium lat ⭐ A Cervical part of the vertebral artery lat deep B Anterior tubercle of the transverse process ant B Carotid tubercle (C6) ant B Posterior tubercle of the transverse process post B Groove for the spinal nerve sup *Vertebral artery enters the foramen transversarium at C6 (not C7); C1 to C7 nerves exit superior to their vertebra, C8 inferior to C7*

Uncinate processes and cervical spines

Uncinate process sup Uncovertebral joint lat Bifid spinous process post Vertebra prominens (C7) post ⭐ *Bifid spines C3 to C6; C7 vertebra prominens; uncovertebral joints (of Luschka) C3 to C6*

Posterior: superficial layer (trapezius, latissimus dorsi, rhomboids, levator scapulae) and intermediate layer (serratus posterior) 26

Trapezius: accessory nerve and transverse cervical vessels on its deep surface

M Descending part of trapezius sup superf. N Accessory nerve sup deep ⭐ A Transverse cervical artery sup ⭐ V Transverse cervical vein sup *Trapezius: motor from the accessory nerve (XI), proprioception C3, C4; the only back muscle supplied by a cranial nerve*

↳ Superficial branch of the transverse cervical artery sup

Trapezius insertion: spine of the scapula and acromion

B Spine of the scapula post M Trapezius sup superf. ⭐ M Transverse part of trapezius med superf. M Ascending part of trapezius inf superf. M Rhomboid minor med deep B Acromion lat *Trapezius and deltoid mirror each other: lateral clavicle, acromion, spine of the scapula*

Latissimus dorsi at the inferior angle B

Inferior angle of the scapula inf M Latissimus dorsi inf superf. ⭐ N Thoracodorsal nerve lat deep A Thoracodorsal artery lat deep *Lady between two majors (latissimus dorsi inserts in the intertubercular groove between pectoralis major and teres major); thoracodorsal nerve C6 to C8*

Levator scapulae and rhomboids along the medial border

B Superior angle of the scapula sup M Levator scapulae sup deep ⭐ N Dorsal scapular nerve med deep A Dorsal scapular artery med deep B Medial border of the scapula med M Rhomboid major inf deep ⭐ *Medial border, superior to inferior: levator scapulae (superior angle), rhomboid minor (root of the spine), rhomboid major (spine to inferior angle); dorsal scapular nerve (C5), levator scapulae also C3, C4*

Serratus posterior over the rib angles; intercostal vein and artery (VAN)

M Serratus posterior superior sup deep M Serratus posterior inferior inf deep B Angle of the rib post A Posterior intercostal artery post V Posterior intercostal vein post *VAN (vein, artery, nerve, superior to inferior) in the costal groove; pass a needle along the superior border of the rib inferior to the space; serratus posterior superior and inferior form the intermediate layer, supplied by intercostal nerves*

Medial (deep): splenius, erector spinae, transversospinales 36

Nuchal fascia and splenius Nuchal fascia post superf. Splenius capitis sup superf. ⭐ Splenius cervicis inf superf. *Splenius = bandage: superficial layer of the intrinsic back muscles, wrapping the deeper columns*

Erector spinae: iliocostalis (lateral column)

Erector spinae ⭐ Common tendon of erector spinae inf Iliocostalis lat ⭐ Iliocostalis lumborum inf Iliocostalis thoracis lat Iliocostalis cervicis sup *I Love Spine (iliocostalis, longissimus, spinalis, lateral to medial)*

Erector spinae: longissimus (intermediate column)

Longissimus med ⭐ Longissimus thoracis inf Longissimus cervicis lat Longissimus capitis sup deep *I Love Spine (iliocostalis, longissimus, spinalis, lateral to medial)*

Erector spinae: spinalis (medial column)

Spinalis med ⭐ Spinalis thoracis med Spinalis cervicis sup Spinalis capitis sup *I Love Spine (iliocostalis, longissimus, spinalis, lateral to medial)*

Semispinalis and the deep cervical vessels between its parts

M Semispinalis capitis sup deep ⭐ M Semispinalis cervicis med deep M Semispinalis thoracis inf deep A Deep cervical artery post deep V Deep cervical vein post deep *Some Men Rarely (semispinalis, multifidus, rotatores, superficial to deep)*

Multifidus and rotatores Multifidus med deep ⭐ Rotatores med deep Rotatores longi med deep Rotatores breves med deep *Some Men Rarely (semispinalis, multifidus, rotatores, superficial to deep)*

Short segmental muscles Interspinales med deep Intertransversarii lat deep Levatores costarum lat deep *Deepest segmental layer: interspinales, intertransversarii, levatores costarum*

Posterior rami and dorsal branches between the muscle columns

N Posterior ramus of a spinal nerve post deep ⭐ A Dorsal branch of the posterior intercostal artery post deep V Dorsal branch of the posterior intercostal vein post deep A Dorsal branch of the lumbar artery post deep *Intrinsic (true) back muscles are all supplied by posterior rami; extrinsic back muscles by anterior rami (trapezius by XI)*

↳ Medial branch of a posterior ramus med deep Lateral branch of a posterior ramus lat deep Posterior cutaneous branch of a posterior ramus post superf.

Back pins · back

Medial: thoracic vertebrae, joints and ligaments of the column 43

Vertebral body, intervertebral disc and longitudinal ligaments

Vertebral body (ant) ★ **Epiphysial rim of the vertebral body** (sup) **Cartilaginous end plate** (sup) **Intervertebral disc** (ant) ★ **Anulus fibrosus** (superf.) **Nucleus pulposus** (post) (deep) ★ **Anterior longitudinal ligament** (ant) ★ **Posterior longitudinal ligament** (post) ★ *Disc herniates posterolaterally and hits the nerve root of the lower level (L4/L5 disc compresses L5); anterior longitudinal ligament limits extension, posterior limits flexion*

Pedicles and the intervertebral foramen

Vertebral arch (post) **Pedicle of the vertebral arch** (lat) ★ **Superior vertebral notch** (sup) **Inferior vertebral notch** (inf) **Intervertebral foramen** (lat) ★ **Vertebral foramen** **Vertebral canal** *C1 to C7 exit superior to the pedicle of their vertebra, C8 and all others inferior to it*

Laminae and spines with their ligaments

Lamina of the vertebral arch (post) ★ **Ligamentum flavum** (post) (deep) ★ **Spinous process** (post) ★ **Interspinous ligament** (post) **Supraspinous ligament** (post) (superf.) *Lumbar puncture, superficial to deep: skin, supraspinous ligament, interspinous ligament, ligamentum flavum (the 'give'), epidural space, dura, arachnoid*

Articular and transverse processes: zygapophysial joint

Superior articular process (sup) **Inferior articular process** (inf) **Pars interarticularis** (post) **Zygapophysial joint** (post) ★ **Transverse process** (lat) ★ **Intertransverse ligament** (lat) *Scottie dog (oblique radiograph): nose = transverse process, eye = pedicle, ear = superior articular process, neck = pars interarticularis (collar = spondylolysis), front leg = inferior articular process*

Thoracic vertebra: costal facets and joint of the head of the rib

Thoracic vertebra **Superior costal facet** (sup) **Inferior costal facet** (inf) **Joint of the head of the rib** (med) **Radiate ligament of the head of the rib** (ant) **Intra-articular ligament of the head of the rib** (med) *Ribs 2 to 9 meet two demifacets (own vertebra + the one superior); 1, 10, 11, 12 single full facets*

Costotransverse joint and its ligaments

Transverse costal facet (ant) ★ **Tubercle of the rib** (post) **Costotransverse joint** (lat) **Costotransverse ligament** (med) **Lateral costotransverse ligament** (lat) **Superior costotransverse ligament** (sup) *Tubercle of rib N to transverse process of vertebra N; no costotransverse joints for ribs 11 and 12*

Named thoracic vertebrae (superior to inferior)

Spinous process of a thoracic vertebra (post) **First thoracic vertebra (T1)** (sup) **Tenth thoracic vertebra (T10)** (inf) **Eleventh thoracic vertebra (T11)** (inf) **Twelfth thoracic vertebra (T12)** (inf) *Spine levels: T3 at the root of the spine of the scapula, T7 at the inferior angle; T1, T10, T11, T12 have full facets for one rib*

Medial: meninges, epidural space and venous plexuses 20

External vertebral venous plexus

External vertebral venous plexus (superf.) *Vertebral venous plexuses (Batson) are valveless: route for prostate and breast metastases to the spine*

↳ **Anterior external vertebral venous plexus** (ant) (superf.) **Posterior external vertebral venous plexus** (post) (superf.)

Epidural space: internal vertebral venous plexus

Or **Epidural space** V **Internal vertebral venous plexus** (deep) ★ *Epidural space holds fat and the valveless internal vertebral venous plexus (Batson); reached caudally through the sacral hiatus*

↳ **Anterior internal vertebral venous plexus** (ant) (deep)

↳ Anterior internal vertebral venous plexus: **Basivertebral vein** (ant) (deep)

↳ **Posterior internal vertebral venous plexus** (post) (deep)

Dura and arachnoid mater

Or **Spinal dura mater** (superf.) ★ Or **Dural sac** (inf) N **Cauda equina** (inf) ★ Or **Spinal arachnoid mater** Or **Subarachnoid space** A **Anterior spinal artery** (ant) A **Posterior spinal artery** (post) *PAD (pia, arachnoid, dura, inner to outer); dural sac and subarachnoid space end at S2*

Pia mater and denticulate ligament

Or **Spinal pia mater** (deep) Or **Denticulate ligament** (lat) ★ N **Anterior root** (ant) N **Posterior root** (post) ★ *21 pairs of denticulate ligaments, between the anterior and posterior roots, anchor the cord to the dura*

↳ **Spinal ganglion** (post) ★

Medial: spinal cord, roots and arteries 34

Spinal cord and its enlargements

Or **Spinal cord** ★ N **Rootlets** (lat) Or **Cervical enlargement** (sup) Or **Lumbosacral enlargement** (inf) A **Great anterior segmental medullary artery** (ant) ★ *Cord ends at L1/L2 in adults (L3 at birth); cervical enlargement for the brachial plexus, lumbosacral for the lumbosacral plexus*

Conus medullaris, cauda equina and filum terminale

Conus medullaris (inf) ★ **Filum terminale** (inf) ★ **Pial part of the filum terminale** (inf) **Dural part of the filum terminale** (inf) **Lumbar cistern** (inf) *Cord ends L1/L2, sac ends S2; lumbar puncture at L3/L4 or L4/L5, using the intercristal (Tuffier) line at L4*

Anterior surface of the cord: anterior spinal vessels

Or **Anterior median fissure** (ant) V **Anterior spinal vein** (ant) Or **Anterolateral sulcus** (ant) *One anterior spinal artery (from both vertebral arteries), two posterior spinal arteries*

Posterior surface of the cord: posterior spinal vessels

Or **Posterior median sulcus** (post) V **Posterior spinal vein** (post) Or **Posterior intermediate sulcus** (post) Or **Posterolateral sulcus** (post) *Two posterior spinal arteries (posterolateral sulci), one anterior spinal artery*

Grey matter and central canal

Or **Grey matter of the spinal cord** Or **Anterior horn** (ant) ★ Or **Lateral horn** (lat) N **Spinal nerve** (lat) ★ Or **Posterior horn** (post) Or **Central canal** (med) *SAME DAVE (sensory afferent, motor efferent; dorsal = afferent, ventral = efferent): posterior root and horn sensory, anterior root and horn motor; lateral horn = sympathetic, T1 to L2*

↳ **Meningeal branch of the spinal nerve** (med)

↳ **Anterior ramus** (ant)

↳ Anterior ramus: **Rami communicantes** (ant)

White matter funiculi

Anterior funiculus (ant) **Lateral funiculus** (lat) **Posterior funiculus** (post) *Posterior funiculus = fine touch and proprioception; lateral = corticospinal and spinothalamic; anterior = anterior spinothalamic and corticospinal*

Spinal nerve roots in the dural root sleeve

Dural root sleeve (lat) *SAME DAVE (sensory afferent, motor efferent; dorsal = afferent, ventral = efferent): posterior root and horn sensory, anterior root and horn motor; the spinal ganglion sits on the posterior root*

Intervertebral foramen: spinal nerve and segmental vessels

A **Spinal branch of a segmental artery** (med) (deep) V **Intervertebral vein** (lat) *31 pairs of spinal nerves: 8 cervical, 12 thoracic, 5 lumbar, 5 sacral, 1 coccygeal; white rami communicantes only T1 to L2*

Radicular and medullary arteries

Radicular artery (lat) **Segmental medullary artery** (lat) *Great anterior segmental medullary artery (Adamkiewicz) usually from the left, T9 to T12*

Lateral: triangles of the back and thoracolumbar fascia 17

Triangle of auscultation

Triangle of auscultation (med) ★ *Boundaries: trapezius, latissimus dorsi, medial border of the scapula (rhomboid major)*

Superior lumbar triangle

B **Twelfth rib** (inf) A **Subcostal artery** (sup) M **Quadratus lumborum** (ant) (deep) M **Superior lumbar triangle** (sup) (deep) M **Internal oblique** (lat) (deep) *Grynfeltt: 12th rib, internal oblique, erector spinae / quadratus lumborum*

Inferior lumbar triangle and the iliac crest

M **Inferior lumbar triangle** (inf) (superf.) ★ B **Iliac crest** (sup) N **Superior clunial nerves** (inf) (superf.) M **External oblique** (lat) (superf.) *Petit: iliac crest, latissimus dorsi, external oblique; floor = internal oblique*

Thoracolumbar fascia (posterior to anterior layer)

Thoracolumbar fascia ★ **Posterior layer of the thoracolumbar fascia** (post) (superf.) **Middle layer of the thoracolumbar fascia** (lat) (deep) **Anterior layer of the thoracolumbar fascia** (ant) (deep) *Three layers wrap two muscles: posterior layer superficial to erector spinae, middle layer between erector spinae and quadratus lumborum, anterior layer anterior to quadratus lumborum*

Quadratus lumborum: subcostal and lumbar vessels

A **Lumbar artery** (med) (deep) V **Lumbar vein** (med) (deep) V **Ascending lumbar vein** (med) (deep) *Quadratus lumborum: 12th rib, transverse processes L1 to L4, iliolumbar ligament and iliac crest; anterior rami T12 to L4*

Inferior: lumbar vertebrae 5

Lumbar vertebra: processes

Lumbar vertebra **Spinous process of a lumbar vertebra** (post) **Costal process** (lat) **Accessory process** (post) **Mammillary process** (post) *Breakfast at 7, lunch at 12, dinner at 5 (7 cervical, 12 thoracic, 5 lumbar vertebrae); lumbar: no costal facets, no foramina transversaria*

Inferior: sacrum and coccyx 36

Lumbosacral junction: L5, sacral base and iliolumbar ligament

B **Fifth lumbar vertebra (L5)** (inf) B **Lumbosacral joint** (inf) B **Sacrum** ★ B **Base of the sacrum** (sup) B **Sacral promontory** (ant) ★ A **Median sacral artery** (med) B **Ala of the sacrum** (lat) B **Superior articular process of the sacrum** (sup) B **Iliolumbar ligament** (lat) *Spondylolisthesis is commonest at L5 on S1; the sacral promontory is the posterior landmark of the pelvic inlet*

Pelvic surface of the sacrum: anterior foramina and sacral arteries

B **Pelvic surface of the sacrum** (ant) A **Lateral sacral artery** (lat) B **Transverse lines of the sacrum** (ant) B **Anterior sacral foramina** (ant) *Four pairs of anterior sacral foramina for the anterior rami S1 to S4*

Dorsal surface of the sacrum: crests and posterior foramina (medial to lateral)

B **Dorsal surface of the sacrum** (post) B **Median sacral crest** (post) ★ B **Intermediate sacral crest** (post) B **Posterior sacral foramina** (post) N **Middle clunial nerves** (post) (superf.) B **Lateral sacral crest** (post) *Median crest = fused spines, intermediate = fused articular processes, lateral = fused transverse processes (medial to lateral)*

Sacro-iliac joint (superficial to deep)

Posterior superior iliac spine (post) **Posterior sacro-iliac ligament** (post) (superf.) **Sacral tuberosity** (lat) **Interosseous sacro-iliac ligament** (post) (deep) **Auricular surface of the sacrum** (lat) ★ **Sacro-iliac joint** (lat) *S2 level: posterior superior iliac spines (dimples of Venus), end of the dural sac, middle of the sacro-iliac joint*

Sacral canal and hiatus

Sacral canal **Sacral hiatus** (post) ★ **Sacral cornu** (inf) **Apex of the sacrum** (inf) *Sacral hiatus at S5 (unfused laminae), found between the sacral cornua: caudal epidural access*

Coccyx and sacrococcygeal joint

Coccyx **Base of the coccyx** (sup) **Coccygeal cornu** (sup) **Transverse process of the coccyx** (lat) **Apex of the coccyx** (inf) **Sacrococcygeal joint** (sup) **Superficial posterior sacrococcygeal ligament** (post) (superf.) *Coccyx: 3 to 5 (usually 4) fused vertebrae; only the first carries cornua and transverse processes*